

Application No. 10/662,048
Listing of claims from Amendment Dated March 14, 2005
Reply to the Non-Compliant Amendment Dated June 3, 2005
Originally to Reply to the Office Action Dated September 10, 2004

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) An item of jewelry, said jewelry item comprising,
a ring with shank, said shank defining a disk opening; and
a cylindrical message disk, mounted within said disk opening, wherein
said cylindrical message disk is rotatable, transversely to said shank, within said disk
opening, so as to display an inscription thereon.
2. (currently amended) The jewelry item as claimed in claim 1,
wherein said cylindrical message disk maintains a plurality of inscriptions thereon, said
cylindrical message disk rotatable within said disk opening so as to display a desired
inscription among a plurality of inscriptions.
3. (original) The jewelry item as claimed in claim 1, wherein said
inscription is a textual message.
4. (original) The jewelry item as claimed in claim 1, wherein said
inscription is decorative design.

Application No. 10/662,048
Listing of claims from Amendment Dated March 14, 2005
Reply to the Non-Compliant Amendment Dated June 3, 2005
Originally to Reply to the Office Action Dated September 10, 2004

5. (withdrawn) The jewelry item as claimed in claim 1, further comprising a second message disk, said message disk simultaneously being disposed within said disk opening.

6. (withdrawn) The jewelry item as claimed in claim 5, wherein said message disks, disposed within said disk opening contain complementary messages.

7. (currently amended) The jewelry item as claimed in claim 1, wherein said[,] cylindrical message disk is supported in said disk opening by a fixing device.

8. (currently amended) The jewelry item as claimed in claim 7, wherein said jewelry further comprises a second cylindrical message disk, said message disk, wherein said message disks are interchangeable with one another.

9. (original) The jewelry item as claimed in claim 7, wherein said fixing device is any one of a sprow, solid pin, and screw.

10. (currently amended) An item of jewelry, said jewelry item comprising,

a ring with shank,

a setting for an jewelry stone; and

Application No. 10/662,048
Listing of claims from Amendment Dated March 14, 2005
Reply to the Non-Compliant Amendment Dated June 3, 2005
Originally to Reply to the Office Action Dated September 10, 2004

a cylindrical message disk, mounted between said shank and said setting,
wherein said cylindrical message disk is rotatable, transversely to said shank, so as to
display an inscription thereon.

11. (currently amended) An item of jewelry, said jewelry item
comprising,
a jewelry component, said jewelry component defining a disk opening;
and
a cylindrical message disk, mounted within said disk opening, wherein
said cylindrical message disk is rotatable, within said disk opening, so as to display an
inscription thereon.

12. (withdrawn) The jewelry item as claimed in claim 11, wherein said
jewelry component is a setting for a jewelry stone.

13. (withdrawn) The jewelry item as claimed in claim 11, wherein said
jewelry component is a clasp.

14. (withdrawn) The jewelry item as claimed in claim 11, wherein said
jewelry component is a bail.

15. (withdrawn) An item of jewelry, said jewelry item comprising,

Application No. 10/662,048

Listing of claims from Amendment Dated March 14, 2005

Reply to the Non-Compliant Amendment Dated June 3, 2005

Originally to Reply to the Office Action Dated September 10, 2004

a ring with shank, and

a message disk, mounted on said shank, wherein said message disk is rotatable, transversely to said shank, so as to display an inscription thereon.

16. (withdrawn) An item of jewelry, said jewelry item comprising, a jewelry component, said jewelry component having upper and lower support rings defining a disk opening;

a connecting means for connecting said jewelry piece to a chain; and

a message disk, mounted within said disk opening between said upper and lower support rings in a position opposite said connecting means, wherein said message disk is rotatable, within said disk opening, so as to display an inscription thereon.